

Aluminium round  
profile  
Ø89 mm

# Product Datasheet

## Playset PZA 1110



### The set contains:

1. Tower with square platform with roof - 1 pcs
2. Tower with triangle platform with roof - 1 pcs
3. Tower with triangle platform without roof - 1 pcs
4. Climbing wall - 2 pcs
5. Arch climbing wall - 1 pcs
6. Balancing bridge - 1 pcs
7. Slanting arch bridge - 2 pcs
8. Slide h=150cm - 2 pcs
9. Slide h=120 cm - 1 pcs
10. Fire pipe h=120 cm - 1 pcs
11. Fire pipe h=150 cm- 1 pcs
12. Tubular Entrance - 1 pcs
13. Tubular line - 2 pcs
14. Arch bridge - 1 pcs
15. Tunnel bridge - 1 pcs
16. Tunel rope - 1 pcs
17. Bridge rope - 1 pcs
18. Pipe bridge - 1 pcs


Age: 5+

Safety zone: 1477 cm x 1050 cm


Safety zone area: 90,7 m<sup>2</sup>

Free fall height: 217 cm

Spare parts availability: YES



1136



## Mounting:

The set is mounted in the ground.  
Foundations made of C20/25 concrete.

In sets containing a slide, pay attention to the location in relation to the directions of the world because the sun heats the slide. The slide should not be mounted to the south.

## Acceptable shock absorbing surfaces and their minimum thickness

Material <sup>a</sup>	Description [mm]	Minimum depth <sup>b</sup> [cm]	Maximum free heights of fall [cm]
Turf/topsoil		-	≤ 100 <sup>d</sup>
Bark	20 to 80 particle size	20	≤ 200
		30	≤ 300
Woodchip	5 to 30 particle size	20	≤ 200
		30	≤ 300
Sand or gravel <sup>c</sup>	0,25 to 8 grain size	20	≤ 200
		30	≤ 300
Other materials	As tested according to EN 1177		Critical fall height as tested

<sup>a</sup> For further information on specific material properly prepared for use in children's playgrounds

<sup>b</sup> For loose particulate material, add 100 mm to the minimum depth to compensate for displacement(see 4.2.8.5.1).

<sup>c</sup> Sand and gravel shall be well rounded and washed to eliminate most of the silt or clay particles. Washed sand and gravel is considered to be from alluvial (natural eroded) deposits and free from most silt or clay particles. For gravel this may commonly be described as 'pea shingle'. Uniformity coefficient  $D_{60}/D_{10} < 3,0$ . Grain size can be identified by use of a sieve test, as in EN 933-1(see Annex G)

<sup>d</sup> See NOTE 2 in 4.2.8.5.2